

[illegible]

SSSSSSSS	AAAAAA	TTTTTTTTT	SSSSSSSS	UU	UU	TTTTTTTTT	000000	888888
SSSSSSSS	AAAAAA	TTTTTTTTT	SSSSSSSS	UU	UU	TTTTTTTTT	000000	888888
SS	AA	TT	SS	UU	UU	TT	00	88
SS	AA	TT	SS	UU	UU	TT	00	88
SS	AA	TT	SS	UU	UU	TT	00	88
SS	AA	TT	SS	UU	UU	TT	00	88
SSSSSSS	AA	TT	SSSSSSS	UU	UU	TT	00	88
SSSSSSS	AA	TT	SSSSSSS	UU	UU	TT	00	88
SS	AAAAAAAAA	TT	SS	UU	UU	TT	0000	88
SS	AAAAAAAAA	TT	SS	UU	UU	TT	0000	88
SS	AA	TT	SS	UU	UU	TT	00	88
SS	AA	TT	SS	UU	UU	TT	00	88
SSSSSSSSS	AA	TT	SSSSSSSSS	UUUUUUUUUU	UUUUUUUUUU	TT	000000	888888
SSSSSSSSS	AA	TT	SSSSSSSSS	UUUUUUUUUU	UUUUUUUUUU	TT	000000	888888

```

LL               IIIIII               SSSSSSSS
LL               IIIIII               SSSSSSSS
LL               III               SS
LL               III               SS
LL               III               SS
LL               III               SS
LL               III               SSSSSS
LL               III               SSSSSS
LL               III               SS
LL               III               SS
LL               III               SS
LL               III               SS
LLLLLLLLLLLLLL  IIIIII               SSSSSSSS
LLLLLLLLLLLLLL  IIIIII               SSSSSSSS

```


(1) 2
(1) 39

MACROS, DATA
EXECUTABLE CODE

SATSUT08
V04-000

SATS SYSTEM SERVICE TESTS

N 1

16-SEP-1984 01:08:10 VAX/VMS Macro V04-00
5-SEP-1984 04:34:34 [UETPSY.SRC]SATSUT08.MAR;1

Page 1
(1)

```
0000 1 .TITLE SATSUT08 SATS SYSTEM SERVICE TESTS
0000 2 .SBTTL MACROS, DATA
0000 3 .IDENT 'V04-000'
0000 4
0000 5 *****
0000 6 *
0000 7 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY *
0000 8 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS. *
0000 9 * ALL RIGHTS RESERVED. *
0000 10 *
0000 11 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED *
0000 12 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE *
0000 13 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER *
0000 14 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY *
0000 15 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY *
0000 16 * TRANSFERRED. *
0000 17 *
0000 18 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE *
0000 19 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT *
0000 20 * CORPORATION. *
0000 21 *
0000 22 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS *
0000 23 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL. *
0000 24 *
0000 25 *
0000 26 *****
0000 27
```


SATSUT08
V04-000

SATS SYSTEM SERVICE TESTS
MACROS, DATA

B 2

16-SEP-1984 01:08:10 VAX/VMS Macro V04-00
5-SEP-1984 04:34:34 [UETPSY.SRC]SATSUT08.MAR;1

Page 2
(1)

```
00000000 29 .PSECT RODATA,RD,NOWRT,NOEXE
      0000 30 : *
      0000 31 : *
      0000 32 : *
      0000 33 : *
      0000 34 : *
      0000 35 : *
      0000 36 : *
      0000 37 : *
      0000 37 : *
```

THIS ROUTINE RUNS IN A PROCESS CREATED BY
A PROCESS RUNNING THE SATSSS37 OR SATSSS45 IMAGE.
THIS PROCESS MERELY HIBERNATES UNTIL AWAKENED BY
THE CREATING PROCESS, AFTER THAT PROCESS HAS ISSUED
A GROUP OF SYSTEM SERVICES WHICH REQUIRE THE EXIST-
ENCE OF THIS PROCESS.

SATSUT08
V04-000

SATS SYSTEM SERVICE TESTS
EXECUTABLE CODE

C 2

16-SEP-1984 01:08:10 VAX/VMS Macro V04-00
5-SEP-1984 04:34:34 [UETPSY.SRC]SATSUT08.MAR;1

Page 3
(1)

0000	0000	39	.SBTTL	EXECUTABLE CODE	
0000	0000	40	.PSECT	SATSUT08, RD, WRT, EXE	
0000	0000	41	START: .WORD	0	; ENTRY MASK
	0002	42	SATSUT08:		
	0002	43	\$HIBER_S		; HANG AROUND WHILE CREATOR ISSUES SERVICES
04	0009	44	RET		
	000A	45	.END	START	

SATSUT08
Symbol table

SATS SYSTEM SERVICE TESTS

D 2

16-SEP-1984 01:08:10 VAX/VMS Macro V04-00
5-SEP-1984 04:34:34 [UETPSY.SRC]SATSUT08.MAR;1

Page 4
(1)

SATSUT08 00000002 R 02
START 00000000 R 02
SYSSHIBER ***** GX 02

+-----+
! Psect synopsis !
+-----+

PSECT name	Allocation	PSECT No.	Attributes
ABS	00000000 (0.)	00 (0.)	NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE
RODATA	00000000 (0.)	01 (1.)	NOPIC USR CON REL LCL NOSHR NOEXE RD NOWRT NOVEC BYTE
SATSUT08	0000000A (10.)	02 (2.)	NOPIC USR CON REL LCL NOSHR EXE RD WRT NOVEC BYTE

+-----+
! Performance indicators !
+-----+

Phase	Page faults	CPU Time	Elapsed Time
Initialization	36	00:00:00.07	00:00:00.34
Command processing	143	00:00:00.64	00:00:01.54
Pass 1	109	00:00:00.37	00:00:03.51
Symbol table sort	0	00:00:00.01	00:00:00.01
Pass 2	28	00:00:00.13	00:00:00.63
Symbol table output	2	00:00:00.01	00:00:00.01
Psect synopsis output	1	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	321	00:00:01.25	00:00:06.06

The working set limit was 1050 pages.
563 bytes (2 pages) of virtual memory were used to buffer the intermediate code.
There were 10 pages of symbol table space allocated to hold 3 non-local and 0 local symbols.
45 source lines were read in Pass 1, producing 13 object records in Pass 2.
1 page of virtual memory was used to define 1 macro.

+-----+
! Macro library statistics !
+-----+

Macro library name	Macros defined
-\$255\$DUA28:[SHRLIB]UETP.MLB;1	0
-\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	0
-\$255\$DUA28:[SYSLIB]STARLET.MLB;2	1
TOTALS (all libraries)	1

4 GETS were required to define 1 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LIS\$:SATSUT08/OBJ=OBJ\$:SATSUT08 MSRC\$:SATSUT08/UPDATE=(ENH\$:SATSUT08)+EXECML\$/LIB+SHRLIB\$:UETP/LIB

0426 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY